

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12

HU: MGSDVRDLNALLPAVPSLGGGGGCALPVSGAAQWAPVLDFAPP GASAYGSL
MO: MGSDVRDLNALLPAVSSLGGGGCGLPVSGAAQWAPVLDFAPP GASAYGSL

HU: GGPAPPPAPPPPPPPPHSFIKQE PWSWGAEPHEEQCLSAFTVHFSQFTGTAG
MO: GGPAPPPAPPPPPPPPHSFIKQE PWSWGAEPHEEQCLSAFTLHFSGQFTGTAG

HU: ACRYGPFGPPPPSQASSGQARMFPNAPYLPSCLESQPAIRNQGYSTVTFDGTPS
MO: ACRYGPFGPPPPSQASSGQARMFPNAPYLPSCLESQPTIRNQGYSTVTFDGAPS

HU: YGHTPSHAAQFPNHSFKHEDPMGQQGSLGEQQYSVPPPVGCHTPTDCTG
MO: YGHTPSHAAQFPNHSFKHEDPMGQQGSLGEQQYSVPPPVGCHTPTDCTG

HU: SQALLLRTPYSSDNLYQMTSQLECMTWNQMLGATLKVAAGSSSVKWE
MO: SQALLLRTPYSSDNLYQMTSQLECMTWNQMLGATLKMAAGSSSVKWE

HU: QGSNHSTGYESDNHTTPILCGAQYRIHTHGVFRGIQDVRRVPGVAPTLVRSAS
MO: QGSNHGIGYESDNHTAPILCGAQYRIHTHGVFRGIQDVRRVSGVAPTLVRSAS

HU: ETSEKRPFMCAYPGCNKRYFKLSHLQMHSRKHTGEKPYQCDFKDCERRFSR
MO: ETSEKRPFMCAYPGCNKRYFKLSHLQMHSRKHTGEKPYQCDFKDCERRFSR

HU: SDQLKRHQRRTGVPKFQCKTCQRKFSRSDHLKTHTRHTGKTSEKPFSCR
MO: SDQLKRHQRRTGVPKFQCKTCQRKFSRSDHLKTHTRHTGKTSEKPFSCR

HU: WPSCQKKFARSDELVRHHNMHQRNMTKLQLAL
MO: WHSCQKKFARSDELVRHHNMHQRNMTKLHVAL

Fig. 1

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 2

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 3

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 4

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 5A




Fig. 5B




Fig. 5C

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12






Fig. 6A

Fig. 6B

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12

p117-139 stimulated line



p117-139 stimulated clone





Fig. 7A

Fig. 7B

p6-22 stimulated line



p6-22 stimulated clone




Fig. 7C

Fig. 7D

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75
MGSDVRDLNALLPAVPSLGGGGCALPVSGAAQWAPVLDFAPPAGASAYGSLGPAPPPAPPPPPPHSFIKQE
.....AAAAAAA.....AAAAA.....AAAAAAA.....
.....RRRR.....
.....
.....

80 85 90 95 100 105 110 115 120 125 130 135 140 145 150
PSWGGAEPEEQCLSAFTVHFSQFTGTAGACRYGPFGPPPSQASSQARMFPNAPYLPSCLESQPAIRNQGYS
.....AAA.....AAA.....AAA.....AAAAA.....
.....RRRR.....RRRR.....
.....DDDDDDDD.....
.....

155 160 165 170 175 180 185 190 195 200 205 210 215 220 225
TVTFDGTPSYGHTPSHAAQFPNHSFKHEDPMGQQGSLGEQQYSVPPPVGCHTPDSCTGSQALLRTPYSSDN
.....AAAAA.....AAAAA.....AA
.....RRRR.....
.....DDDDDDDDDDDD.....
.....

230 235 240 245 250 255 260 265 270 275 280 285 290 295 300
LYQMTSQLCMTWNQMNLGATLGKVAAGSSSVKWTGQSNHSTGYESDNHTTPILCGAQYRITHGVFRGIQDV
.....AAAAA.....AAA.....AAA.....AAAAAAA.....
.....RRRRRRRR.....RRRR.....RRR.....
.....DDDDDDDDDD.....
.....ddddd.....
.....

305 310 315 320 325 330 335 340 345 350 355 360 365 370 375
RRVPGVAPTLVRSASETSEKRPFMCAYPGCNKRYFKLSHLQMHSRKHTGEKPYQCDFKDERRFSRSRSDLKRHQI
.....AAAAA.....AAAAA.....AAA.....AAAAA.....AAA.....
.....RRRR.....RRRR.....
.....DDDDDD.....
.....

380 385 390 395 400 405 410 415 420 425 430 435 440 445 450
RHTGVKPFQCKTCQRKFSRSDHLKHTTRHTGKTSEKPFSCRWPSCQKKFARSDELVRHHNMHQRNMTKLQLAL
.....AAAA.....AA.....AAA.....AAA.....AAAAAAA.....AAA.....
.....RRRR.....RRRR.....
.....ddddd.....
.....

Fig. 8A

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12

Fig. 8B

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 9A




Fig. 9B

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 10A




Fig. 10B

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 10C




Fig. 10D




Fig. 11B




Fig. 11A

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 12B

E:T 25:1




Fig. 12A

E:T 25:1

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 13A




Fig. 13B




Fig. 13C




Fig. 14




Fig. 15

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 16

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12




Fig. 17

TABLE 1: Characteristics of Recombinant WT1 Proteins Used for Serological Analysis

<u>NAME</u>	<u>Recombinant Protein</u>	<u>WT1 Amino Acid Position</u>	<u>Molecular Weight</u>
WT1 / full-length	Rat2-WT1 full length fusion protein	aa 1-449	85kDa
WT1 / N-terminus	TRX-WT1 N-terminus fusion protein	aa 1-249	60kDa
WT1 / C-terminus	WT1 C-terminus protein	aa 267-449	50kDa

Fig. 18




Fig. 19A1 Control groups. A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000




Fig. 19A2 Control groups. A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12









Fig. 19A3 Control groups. A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000













WT1. Dose Titration. Ab responses to WT1. 100ug Ra12-WT1+MPL-SE.
A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000




WT1. Dose Titration. Ab responses to WT1. 100ug Ra12-WT1+MPL-SE.
 A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12



WT1. Dose Titration. Ab responses to WT1. 1000ug Ra12-WT1+MPL-SE.
A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000



WT1. Dose Titration. Ab responses to WT1. 1000ug Ra12-WT1+MPL-SE.
A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000





Fig. 19D3

WT1. Dose Titration. Ab responses to WT1. 1000ug Ra12-WT1+MPL-SE.
A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000


Ab responses in group 4 (1000ug Ra12/WT1)

Mouse Titration

1 = TR4	5 = TRX
2 = TR2	6 = RA12/WT1
3 = TR3	7 = WT1A/TRX
4 = RA12	




Titration. Ab responses to WT1. 1000ug Ra12-WT1+MPL-SE.
1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000



WT1. Dose Titration. Ab responses to WT1. 1000ug Ra12-WT1+MPL-SE.
A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12



WT1. Dose Titration. Ab responses to WT1. 1000ug Ra12-WT1+MPL-SE.
A: 1:500 Dilution, B: 1:2000, C: 1:8000, D: 1:16000

Proliferative T-cell responses in WT1 protein immunized mice. (Ra12WT1 dose titration, 3x in vivo, after 2IVS)




Fig. 20A

Proliferative T-cell responses in WT1 protein immunized mice. (Ra12WT1 dose titration, 6x in vivo, after 2IVS)






Fig. 20B

WT1 expression in human DC following adeno
WT1 and Vaccinia WT1 infection

Control
(uninfected human DC)



Adeno WT1
(infected human DC)



Vaccinia WT1
(infected human DC)





Fig. 21

WT1 can be expressed reproducibly in human DC
following adeno WT1 infection and is not
induced by a control Adeno infection

Control
(Adeno EGFP
infected human DC)



Vaccinia WT1
(infected human
DC)




Fig. 22

WT1 whole gene in vitro priming elicits WT1 specific
T-cell responses (IFN-gamma ELISOT)




Fig. 23

Title: COMPOSITIONS AND METHODS FOR WT1 SPECIFIC IMMUNOTHERAPY

Inventor(s): Alexander Gaiger et al. Express Mail No. EV336590744US Docket No. 210121.465C12

WT-1 F cDNA 2-281

GGCTCCGACGTTGGGACCTGAACGCACTGCTGCCGGCAGTCCGTCCCTGGGTGGTGGTGGCGACTGCCGGTAGCGGTGCA
CTCCGGTCTGGACTTCGACCGCCGGTGCATCCGCATACGGTCCCTGGGTGGTCCGGCACCGCCGCCGGCACGCCGCCGCCGCC
GCACTCCCTCATAAACAGGAACCGAGCTGGGGTGGTGAGAACCGCACGAAGAACAGTGCTGAGCGCATTCAACGGTCA
GGCACAGCGGAGCCTGCGTACGGGCCCTCGTCCCTCCGCCAGCCAGGGTCACTCCGGCCAGGCCAGGATGTTCTAACGCC
CCAGCTGCCTCGAGAGGCCAGCCGCTATTGCAATCAGGGTACAGCACGGTCACCTTCGACGGGACGCCAGCTACGGT
CACAGCCCTGCACCAGCTGGCGAGTCCCCAACCACTCATCAAGCATGAGGATCCATGGGCCAGAGGGCTGCTGGGTGAG
CAGAGTACTCGTGCCGCCGGTCTATGGCTGCCACCCCCCACCAGCAGCTGACCCGGCAGCCAGGCTTGCTGCTGAG
CACGAGTACAACGAGGACACCTAAAGGGCCACAGCACAGGGTACGAGAGCGATAACCACACAACGCCATCCTGCGGAGCCA
ATACAGAATACACACGACGGTGTCTCAGAGGCAATTCACTGA

WT-1 F amino acid 2-281

GSDVRDLNALLPAVPSLGGGGCALPVSGAAQWAPVLDFAAPPGASAYGSLGGPAPPAPPPPPPPPHSF1KQEWSWGAEPHEEQCLSAFTVHFSGQFT
GTAGACRYGPFGPPPQSASSGQARMFPNAPYLPSCLESQPAIRNRQGYSTVTFDGTPSYGHTPSHAAQFPNHSFKHEDPMGQQGSLGEQQYSVPPPVYG
CHPTDSTSCTGSOALLRTPYSSDNLYOMTSECMTNQMLGATLKGHSTGYESDNHTTPILCGAQYRIHTHGVFRGIQ

Fig. 24